DCBlocks for

classic yachts







Traditional design, strong, simple and functional

DCBlocks for classic yachts

Compact ash blocks. **DCBlock** are produced for the British company DAVEY & Co London Ltd. Their shape is based on the English style of the 1920s. Tufnol sheaves. The **DCblock** are used for ropes from 8 mm to 14 mm. Highlight: The stainless steel axle is secured with a screw, making it easy to dismantle the block for maintenance and inspection. The **DCblock** are intended for yachts up to 12-14 meters.

The advantages of the **DCBlocks**:




- traditional design,
- ✓ strong construction,
- varnish for difficult marine conditions.
- ✓ high strength sheaves,
- bindings are made of strong stainless steel (AISI316),
- polished bindings

UB Sails B.V.

Info@ubsails.nl
+31615605060

Type:



DCBlock single sheaves



	DC Block	DC Block	DC Block
	10E1	12E1	14E1
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	12	13	13
F	17	18	19
G	14	16	18
J	6	8	8
kg	0,2	0,3	0,4



DCBlock double sheaves



	DC Block	DC Block	DC Block
	10E2	12E2	14E2
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
Е	17	18	20
F	21	24	25
G	14	16	18
J	8	10	10
kg	0,3	0,5	0,8



DCBlock tripple sheaves



	DC Block	DC Block	DC Block
	10E3	12E3	14E3
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	42	44	48
F	30	30	30
G	14	16	18
J	10	12	12
kg	0,4	0,7	0,8





Type:



A O O B GC

DCBlock single sheaves with becket



	DC Block	DC Block	DC Block
	10E1+	12E1+	14E1+
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	12	13	13
F	17	18	19
G	14	16	18
Н	17	21	21
J	6	8	8
kg	0,25	0,36	0,47



DCBlock double sheaves with becket



	DC Block	DC Block	DC Block
	10E2+	12E2+	14E2+
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	17	18	20
F	21	24	25
G	14	16	18
Н	17	21	21
J	8	10	10
kg	0,35	0,56	0,87



DCBlock ≠ tripple sheaves with becket




	DC Block 10E3+	DC Block 12E3+	DC Block 14E3+
Rope mm	8-10 mm	10-12 mm	12-14 mm
A	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	42	44	48
F	30	30	30
G	14	16	18
Н	17	21	21
J	10	12	12
kg	0,45	0,75	0,87





Type:





DCBlock single sheaves swivel



	DC Block	DC Block	DC Block
	10E1SW	12E1SW	14E1SW
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	14	14	16
F	8	10	10
G	14	16	18
J	20	22	24
kg	0,25	0,35	0,45





DCBlocks double sheaves swivel



	DC Block	DC Block	DC Block
	10E2SW	12E2SW	14E2SW
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	14	16	16
F	10	10	10
G	14	16	18
J	22	24	24
kg	0,38	0,57	0,73






DCBlock tripple sheaves swivel

	DC Block	DC Block	DC Block
	10E3SW	12E3SW	14E3SW
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	14	16	16
F	10	10	10
G	14	16	18
J	22	24	24
kg	0,45	0,9	1,08

Type:



DCBlock single sheaves swivel with becket



	DC Block 10E1SW+	DC Block 12E1SW+	DC Block 14E1SW+
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	14	14	16
F	8	10	10
G	14	16	18
Н	17	21	21
J	20	22	24
kg	0,3	0,41	0,52



DCBlock double sheaves swivel with becket




	DC Block	DC Block	DC Block
	10E2SW+	12E2SW+	14E2SW+
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	14	16	16
F	10	10	10
G	14	16	18
Н	17	21	21
J	22	24	24
kg	0,43	0,64	0,8



DCBlock tripple sheaves swivel with becket

	DC Block	DC Block	DC Block
	10E3SW+	12E3SW+	14E3SW+
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	14	16	16
F	10	10	10
G	14	16	18
Н	17	21	21
J	22	24	24
kg	0,5	0,96	1,15

Type:



DCBlock single sheaves hook



	DC Block	DC Block	DC Block
	10E1Hook	12E1Hook	14E1Hook
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	11	14	14
F	30	30	30
G	14	16	18
J	8	10	10
kg	0,2	0,3	0,4





DCBlock ≠ single sheaves hook with becket



	DC Block	DC Block	DC Block
	10E1Hook+	12E1Hook+	14E1Hook+
Rope mm	8-10 mm	10-12 mm	12-14 mm
Α	78	90	104
В	57	68	77
С	46	48	54
D	40	50	60
E	11	14	14
F	30	30	30
G	14	16	18
Н	17	21	21
J	8	10	10
kg	0,25	0,36	0,47



DCBlock spring blocks




Standing springs for all types of Davey blocks with swivel fittings.





Type:



DCBlock single sheaves strop



	DC Block DC Block		DC Block	
	10ES1	12ES1	14ES1	
Rope mm	8-10 mm	10-12 mm	12-14 mm	
Α	78	90	104	
В	57	68	77	
С	46	48	54	
D	40	50	60	
kg	0,15	0,2	0,25	





DCBlock ≠ double sheaves strop




DC BIOCK	DC RIOCK	DC Block
10ES2	12ES2	14ES2
8-10 mm	10-12 mm	12-14 mm
78	90	104
57	68	77
72	76	84
40	50	60
0,2	0,3	0,45
	8-10 mm 78 57 72 40	10ES2 12ES2 8-10 mm 10-12 mm 78 90 57 68 72 76 40 50





Type:





DCBlock fiddle



	DC Block 12EV	DC Block 14EV
Rope mm	10-12 mm	12-14 mm
Α	175	280
В	80	125
С	48	75
D1	65	110
D2	40	70
E	13	25
F	18	38
G	16	25
J	8	8
kg	0,6	0,8





DCBlock fiddle with becket



DC Block	DC Block
12EV+	14EV+
10-12 mm	12-14 mm
175	280
80	125
48	75
65	110
40	70
13	25
18	38
16	25
21	21
8	8
0,66	0,87
	12EV+ 10-12 mm 175 80 48 65 40 13 18 16 21







All Parts for the DC Blocks can be ordered
For price info contact us
UB Sails B.V.
Zeldenrust 9
1671 GW
Medemblik

www.ubsails.nl